

The RouteViews Project: Update

*Philip Smith & Owen Conway
BKNIX Peering Forum 2025, Bangkok
22nd May 2025*



UNIVERSITY OF OREGON



Last updated 20th May 2025



Background

- **RouteViews was first started in 1995**
- Now a growing network of 40+ collectors positioned strategically at Internet Exchange Points around the world
- RouteViews collaborates with the Center for Applied Internet Data Analysis (CAIDA) working with NSF grants that support Designing a Global Measurement Infrastructure to Improve Internet Security, GMI3S ([OAC-2131987](#)), and an Integrated Library for Advancing Network Data Science, ILANDS ([CNS-2120399](#)).
- RouteViews is supported with financial and in-kind donations by multiple organizations
- **RouteViews is based at the University of Oregon and operated by NSRC**
- NSRC supports the growth of global Internet infrastructure by providing engineering assistance, collaborative technical workshops, training, and other resources to university, research & education networks worldwide.
- NSRC is partially funded by the IRNC program of the NSF ([OAC-2029309](#)) and Google with other contributions from public and private organizations.
- The University of Oregon is a public research institution in Eugene, Oregon, USA founded in 1876.



UNIVERSITY OF OREGON



RouteViews Team Members

Hans Kuhn



Nina Bargisen



Owen Conway



Philip Smith



Philip Paeps



Anton Berezin



UNIVERSITY OF OREGON



What is RouteViews

- A tool that allows Internet network operators to look at the BGP table from different backbones and locations around the world to troubleshoot and to assess:
 - Reachability, hijacks, bugs, peer visibility, mass withdrawals, RPKI status,...
- Operators who find it a valuable tool also peer to contribute to the value
- RouteViews operates collectors strategically positioned at IXPs around the world.
 - It also hosts a few multi-hop collectors at UO for those operators who are not present at IXPs.



UNIVERSITY OF OREGON



What is RouteViews

- Many free and commercial tools used by network engineers every day include data from RouteViews
 - CAIDA ASRANK
 - CAIDA BGP Reader
 - HE BGP Tools
 - Kentik Market Intelligence
 - Kentik BGP monitoring
 - Catchpoint
 - BGPMon
 - And many more



UNIVERSITY OF OREGON



RouteViews Collector Map



<https://www.routeviews.org/routeviews/map/>

Map filter **Peers by region** Peer count RIB count

Search collectors by name or IP ☐ Maintain filters during search

48
of 48 collectors
visible

Installed date

From:

Jan 1st, 1997

To:

May 19th, 2025

Type of collector



Number of collectors

IP ☒ all ☐ v4 only ☐ v6 avail


RPKI ☒ all ☐ false ☐ true

Scamper ☒ all ☐ false ☐ true

BMP ☒ all ☐ false ☐ true

Multihop ☒ all ☐ false ☐ true

Collectors by RIR region



☒ Toggle regions

Number of collectors

Interactive map created by UO InfoGraphics Lab
Powered by CARTO | HighCharts | Leaflet

What's happening at RouteViews

ROUTEVIEWS NEWS



UNIVERSITY OF OREGON



RouteViews News

- Collectors:
 - All software collectors use FRR¹ (version 10.2)
 - One Cisco ASR1004 (as a tribute to the original!)
 - Moving collectors from metal to VMs (easier deployment & management)
- Location update:
 - Most recent additions include CIX Atlanta, DR Fortress (Hawaii) and InterLAN (Romania)
 - Several new locations offered; resources required to fulfil those offers

¹FRRouting Project: <https://frrouting.org/>



UNIVERSITY OF OREGON



RouteViews Development Projects: API

- API allows programmatic access to live RouteViews data
 - (our collectors currently allow **telnet** access, which 1000s of automated scripts hammer daily)
- Two access levels:
 - Unauthenticated for casual (infrequent queries)
 - Authenticated access (using verified PeeringDB users) for more serious research
- API currently supports ten collectors
 - More will be added as resources become available
- Please consult the docs on how to use the API
 - <https://api.routeviews.org/docs/>

Exchange	collector
AMS-IX Amsterdam, Netherlands	route-views.amsix.routeviews.org
LINX, London, United Kingdom	route-views.linx.routeviews.org
NAPAfrica, Johannesburg, South Africa	route-views.napafrika.routeviews.org
Equinix SG1, Singapore, Singapore	route-views.sg.routeviews.org
Equinix SYD1, Sydney, Australia	route-views.sydney.routeviews.org
SAOPAULO (PTT Metro, NIC.br), Sao Paulo, Brazil	route-views2.saopaulo.routeviews.org
Multi-hop at U of Oregon	route-views3.routeviews.org
Multi-hop at U of Oregon	route-views4.routeviews.org
Multi-hop at U of Oregon	route-views5.routeviews.org
Multi-hop at U of Oregon	route-views6.routeviews.org



UNIVERSITY OF OREGON



RouteViews Development Projects: LG

- **telnet** access is unsustainable
 - Gives open access to the collector command line interface to run “show” commands
- Looking Glass will soon become the default access for each collector
 - Permits the most commonly used BGP diagnostic commands
 - **telnet** remains available on route-views.routeviews.org (the Cisco ASR1004) for legacy access
- Looking Glass has completed internal testing and is now available for general use
 - **telnet** access will be removed after due notice to the community




UNIVERSITY OF OREGON



TYPE OF QUERY	ADDITIONAL PARAMETERS	NODE
<input checked="" type="radio"/> bgp		frr.routeviews.org (test collector, Uni of Oregon)
<input type="radio"/> bgp regexp		✓ frr
<input type="radio"/> rpkf prefix		Accra, Ghana (GIXA)
<input type="radio"/> rpkf ASN		route-views.gixa
IPv4		Amsterdam, Netherlands (AMS-IX)
		amsix.ams
		Amsterdam, Netherlands (AMS-IX)
		route-views.amsix
		Ashburn, Virginia (Equinix Ashburn)
		route-views.eqix
		Atlanta, Georgia (CIX-ATL)
		cix.atl
		Atlanta, Georgia (Digital Realty)
		route-views.telxatl
		Baghdad, Iraq (IRAQ-IXP)
		iraq-ixp.bgw
		Bangkok, Thailand (BKNIX)

Submit Reset

 Looking Glass

Router: frr
Command: show bgp ipv4 unicast 23.56.154.116

```
frr.routeviews.org> show bgp ipv4 unicast 23.56.154.116
BGP routing table entry for 23.56.144.0/20, version 50831
Paths: (2 available, best #1, table default)
  Not advertised to any peer
  3582 3701 6939 4651 20940 16625
    128.223.253.10 from 128.223.253.10 (128.223.253.10)
      Origin IGP, valid, external, multipath, best (Older Path), rpki validation-state: valid
      Community: 3701:10200 3701:10204 3701:30003
      Last update: Tue May  6 21:45:58 2025
  3582 3701 6939 4651 20940 16625
    128.223.253.9 from 128.223.253.9 (128.223.253.9)
      Origin IGP, valid, external, multipath, rpki validation-state: valid
      Community: 3701:10200 3701:10204 3701:30003
      Last update: Tue May  6 21:45:58 2025
```

Disclaimer: All commands are logged for possible analysis and statistics. If you do not like this policy, please disconnect now.
Queries: help@routeviews.org

lg.routeviews.org/lg/

RouteViews Looking Glass

ROUTE
VIEWS
6447

Looking Glass


Router: frr

Command: show bgp ipv4 unicast 23.56.0.0/16 longer-prefixes

frr.routeviews.org> show bgp ipv4 unicast 23.56.0.0/16 longer-prefixes

RouteViews Development Projects: BMP

- Live feed from collectors for BGP data consumers
- Challenge is to make this scale and provide the infrastructure resources to support



RouteViews Behind the Scenes Projects

- Upgrading archive infrastructure and storage
 - RouteViews stores BGP data from 1997 – over 50 TBytes (compressed)
- Tooling
 - Automation tools for managing the whole infrastructure and deploying new peers
- Collector OS (from CentOS to Ubuntu)
 - CentOS end-of-life – half the collectors still running CentOS
- FRR performance
 - Tuning Linux TCP parameters to improve BGP peer performance
 - <https://fasterdata.es.net/host-tuning/linux/>
 - “Badly behaving peers” (*aka* slow and/or noisy peers)



UNIVERSITY OF OREGON



RouteViews Future Planning

- Collectors & hosts in new locations outside North America
 - Large IXPs with dense interconnection
 - Unique or specialist environments (e.g. R&E exchanges)
- Scalable and diverse archiving
- Improved community support
 - Running this infrastructure costs money!
 - We hugely appreciate our generous supporters
 - <https://www.routeviews.org/routeviews/index.php/supporters/>
- Your recommendations are welcome! 🙏



UNIVERSITY OF OREGON



For network operators & researchers

USING ROUTEVIEWS



UNIVERSITY OF OREGON



Using RouteViews

- Network Operators use the live data to analyse how their routes appear on the Global Routing System
- Researchers use the 27-year-old data archive to study trends, route hijacks, and changes such as:
 - Origin change
 - Next-hop change
 - New prefix / more specifics
 - New neighbours
 - Operator ASN appearing in a new transit path
 - Bogons



UNIVERSITY OF OREGON



TYPE OF QUERY	ADDITIONAL PARAMETERS
<input checked="" type="radio"/> bgp	
<input type="radio"/> bgp regexp	summary
<input type="radio"/> rpki prefix	
<input type="radio"/> rpki ASN	
IPv4	
<input type="button" value="Submit"/> <input type="button" value="Reset"/>	

route-views.uaeix
 Fortaleza, Brazil (IX.br (PTT.br) Fortaleza)
 route-views.fortaleza
 Guam, US Territories (GOREX)
 route-views.gorex
 Indianapolis, Indiana (FD-IX)
 route-views.mwix
 Johannesburg, South Africa (NAPAfrica)
 route-views.napafrika
 Johor Bahru, Malaysia (DE-CIX Malaysia)
 decix.jhb
 Lima, Peru (Peru IX)
 route-views.peru
 London, United Kingdom (LINX)
 ✓ route-views.linx
 Los Angeles, California (Pacific Wave)
 pacwave.lax
 Miami, Florida (FL-IX)
 route-views.flix
 Nairobi, Kenya (KIXP)
 route-views.kixp
 New York, NY (DE-CIX New York)
 route-views.ny
 Palo Alto, California (PAIX)
 route-views.isc
 Perth, Australia (WA-IX)
 route-views.perth
 Portland, Oregon (NWAX)
 route-views.nwax
 Querétaro, Mexico (PIT Chile MX)
 pitmx.qro
 Quezon City, Philippines (PhOpenIX)

Router: route-views.linx

Command: show bgp ipv4 unicast summary

```
route-views.linx> show bgp ipv4 unicast summary
```

```
BGP router identifier 195.66.225.222, local AS number 6447 VRF default vrf-id 0
```

```
BGP table version 309367728
```

```
RIB entries 1960257, using 239 MiB of memory
```

```
Peers 59, using 1402 KiB of memory
```

59 peers

Lots of full tables

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd	PfxSnt	Desc
195.66.224.12	4	47957	12686566	175336	309367728	0	0	08w4d21h	429688	0	Ingenico Solutions
195.66.224.21	4	6939	13824625	87669	309367728	0	0	08w4d21h	998128	0	Hurricane Electric
195.66.224.25	4	37497	13990578	108820	309367728	0	0	08w4d21h	978133	0	Network Platforms
195.66.224.29	4	5413	178038	175336	309367728	0	0	08w4d21h	0	0	Daisy Corporate
195.66.224.32	4	3257	39273641	175478	309367728	0	0	08:15:53	973113	0	GTT Communications
195.66.224.51	4	6453	20849985	175336	309367728	0	0	08w4d21h	973415	0	TATA Communications
195.66.224.64	4	3292	181363	175336	309367728	0	0	08w4d21h	645	0	Tele Danmark
195.66.224.66	4	8426	103378	87669	309367728	0	0	08w4d21h	118	0	Claranet
195.66.224.83	4	5511	1926542	175336	309367728	0	0	08w4d21h	143805	0	Orange S.A.
195.66.224.89	4	6830	25270342	175044	309367728	0	0	03w4d06h	973086	0	Liberty Global B.V.
195.66.224.99	4	13237	91674008	87669	309367728	0	0	08w4d21h	977005	0	euNetworks Group
195.66.224.114	4	6667	42436550	174822	309367728	0	0	04w5d08h	974317	0	Elisa Corporation
195.66.224.118	4	14537	28534432	175336	309367728	0	0	08w4d21h	977143	0	Continent 8
195.66.224.138	4	2914	21709483	175044	309367728	0	0	03w4d06h	973489	0	NTT Global IP
195.66.224.153	4	6762	5153973	175341	309367728	0	0	02w6d21h	212040	0	Telecom Italia
195.66.224.157	4	16552	26255740	175336	309367728	0	0	08w4d21h	974632	0	Tiggee LLC
195.66.224.165	4	38880	21790409	87669	309367728	0	0	08w4d21h	1014829	0	Micron21 Datacentre
195.66.224.167	4	3491	10385507	87669	309367728	0	0	08w4d21h	970203	0	PCCW Global
195.66.224.175	4	13030	29719579	87669	309367728	0	0	08w4d21h	974063	0	Init7 (Switzerland)
195.66.224.193	4	9002	14866344	175336	309367728	0	0	08w4d21h	974480	0	RETN
195.66.224.215	4	31500	140603	87594	309367728	0	0	04w3d15h	3585	0	Global Network

RouteViews Use Cases: Peering Negotiation

- Understanding your prospects connectivity can be key to a good negotiation
 - Who are the upstreams?
 - Who are the peers?
 - Who are the customers?
- Let's have a look at AS132280 as an example



UNIVERSITY OF OREGON



Multihop Collector

TYPE OF QUERY		ADDITIONAL PARAMETERS
<input type="radio"/>	bgp	
<input checked="" type="radio"/>	bgp regexp	_132280\$
<input type="radio"/>	rpki prefix	
<input type="radio"/>	rpki ASN	
IPv4		
		Submit Reset

route-views.chile
Santiago, Chile (PIT Chile Santiago)
pit.scl
São Paulo, Brazil (IX.br (PTT.br) São Paulo)
route-views2.saopaulo
Seoul, Korea (KINX)
kinx.icn
Singapore, Singapore (Equinix Singapore)
route-views.sg
Sydney, Australia (Equinix SYD1)
route-views.sydney
Tokyo, Japan (DIX-IE)
route-views.wide
Multi-hop 2 (Uni of Oregon)
✓ route-views2
Multi-hop 3 (Uni of Oregon)
route-views3
Multi-hop 4 (Uni of Oregon)
route-views4
Multi-hop 5 (Uni of Oregon)
route-views5
Multi-hop 6 (Uni of Oregon)
route-views6
Multi-hop 7 (Uni of Oregon)
route-views7

Local Collector

TYPE OF QUERY		ADDITIONAL PARAMETERS
<input type="radio"/>	bgp	
<input checked="" type="radio"/>	bgp regexp	^132280_[0-9]+\$
<input type="radio"/>	rpk prefix	
<input type="radio"/>	rpk ASN	
IPv4		
		Submit Reset

route-views.gixa
 Amsterdam, Netherlands (AMS-IX)
 amsix.ams
 Amsterdam, Netherlands (AMS-IX)
 route-views.amsix
 Ashburn, Virginia (Equinix Ashburn)
 route-views.eqix
 Atlanta, Georgia (CIX-ATL)
 cix.atl
 Atlanta, Georgia (Digital Realty)
 route-views.telxatl
 Baghdad, Iraq (IRAQ-IXP)
 iraq-ixp.bgw
 Bangkok, Thailand (BKNIX)
 ✓ route-views.bknix
 Belgrade, Serbia (SOX Serbia)
 route-views.soxrs
 Bucharest, Romania (InterLAN-IX)
 interlan.otp
 Chicago, Illinois (Equinix CH1)
 route-views.chicago
 Dhaka, Bangladesh (BDIX)
 route-views.bdix
 Dubai, United Arab Emirates (UAE-IX)
 route-views.uaeix
 Fortaleza, Brazil (IX.br (PTT.br) Fortaleza)
 route-views.fortaleza
 Guam, US Territories (GOREX)
 route-views.gorex
 Indianapolis, Indiana (FD-IX)
 route-views.mwix
 Johannesburg, South Africa (NAPAfrica)


Router: route-views.bknix

Command: show bgp ipv4 unicast regexp ^132280_[0-9]+\$


```
route-views.bknix.routeviews.org> show bgp ipv4 unicast regexp ^132280_[0-9]+$
BGP table version is 104841276, local router ID is 203.159.68.20, vrf id 0
Default local pref 100, local AS 6447
Status codes: s suppressed, d damped, h history, u unsorted, * valid, > best, = multipath,
               i internal, r RIB-failure, S Stale, R Removed
Nexthop codes: @NNN nexthop's vrf id, < announce-nh-self
Origin codes: i - IGP, e - EGP, ? - incomplete
RPKI validation codes: V valid, I invalid, N Not found
```

	Network	Next Hop	Metric	LocPrf	Weight	Path
N*>	16.10.6.0/24	203.159.68.122	0	132280	210873	?
N*		203.159.68.122	0	132280	210873	?
N*		203.159.68.122	0	132280	210873	?
N*>	38.211.232.0/24	203.159.68.122	0	132280	139844	i
N*		203.159.68.122	0	132280	139844	i
N*=		203.159.68.122	0	132280	139844	i
N*>	38.211.233.0/24	203.159.68.122	0	132280	139844	i
N*		203.159.68.122	0	132280	139844	i
N*		203.159.68.122	0	132280	139844	i
V*>	43.245.200.0/23	203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i
V*>	43.245.200.0/24	203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i
V*>	43.245.201.0/24	203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i
V*		203.159.68.122	0	132280	59318	i

downstream ASNs



RouteViews Impact



Barrett Lyon:

<https://www.youtube.com/watch?v=vo5glK9czIE>



UNIVERSITY OF OREGON



Consumers of RouteViews data

If you use RouteViews data for your products or services:

- Please acknowledge the source!
 - Your product or service likely would not work without our data!
- Please do *NOT* send your customers of your products or services to us for technical support:
 - We simply collect what is seen in the global routing table
 - We cannot fix mistakes made by network operators
 - We cannot fix bugs in BGP implementations
 - We cannot remove BGP announcements we receive
 - We cannot change what is seen in the global routing table



UNIVERSITY OF OREGON



For Peering Coordinators

PEERING WITH ROUTEVIEWS



UNIVERSITY OF OREGON



Peering with RouteViews

- RouteViews has a Selective peering policy
 - PeeringDB: <https://www.peeringdb.com/asn/6447>
- We require all peers to have a PeeringDB entry
 - Our tools build peering options (for IXP based collectors) and configurations from PeeringDB
- Peering:
 - Over IPv4 (for IPv4 prefixes) and IPv6 (for IPv6 prefixes)
 - We want to receive the entire BGP table (if operationally possible)
 - We do not send you any prefixes (please don't ask)



UNIVERSITY OF OREGON



Peering with RouteViews: General Requirements

- Peer must operate stable equipment
 - RouteViews will shutdown BGP sessions that impact the stability of the RouteViews platform
- Peer must have a public routable ASN
- Peer must not be a hobby network
- Peer's full view of the global routing table is preferred
- Routes should be aggregated as much as possible
 - (no longer than /24 for IPv4 and /48 for IPv6)
- Peer must have up-to-date information in PeeringDB, including the NOC email address
- Peer must filter RFC6890 space and must not send default routes
- RouteViews does not accept addpath-RX or TX



UNIVERSITY OF OREGON



Peering with RouteViews: IXP & Multihop

IXP Peering

- We happily accept everyone's routes from the route servers.
- We will set up bilateral sessions with anyone who meets the general requirements and will send us their full table.
- We will peer at all mutual exchanges if requested.

Multihop Peering

- We will accept multihop peers who are not on any mutual IXPs.
- Peers must provide their full view of the Internet as they see it.
- We accept two sessions for redundancy; more than two sessions can be set up if the feeds are sufficiently different.



UNIVERSITY OF OREGON



Why a Selective Peering policy?

- Balancing operational overhead, scale and information from the data
- Hobby Networks
- Full View of the Internet
- What makes a peering interesting?
 - Networks in regions where we have limited visibility
 - Networks demonstrating new interconnection patterns
 - Networks using innovative routing practices
 - Networks that help us understand emerging market dynamics
 - Or maybe something we haven't thought about yet



UNIVERSITY OF OREGON



For potential hosts of collectors

HOSTING ROUTEVIEWS



UNIVERSITY OF OREGON



Hosting RouteViews

- RouteViews is interested in new locations
 - Especially in regions or economies we have no collector
 - Where there are IXPs with large numbers of peers (>100)
- Hosting a RouteViews collector
 - Hosts can be IXPs themselves
 - Hosts can be members of IXPs
 - Hosts sponsor the IXP port and the (~10Mbps) transit required
 - Hosts sponsor the VM needed for the collector
 - Physical hardware is less preferred due to being harder to manage
 - VMs sometimes may not be possible due to operational requirements



UNIVERSITY OF OREGON



Collector Specifications

- Virtual Machine:
 - 16GB RAM min (prefer 32GB)
 - 100GB disk
 - 4 vCPUs
 - 1 transit interface (management and public CLI access, low traffic)
 - 1 peering interface on the IX
- Physical Hardware:
 - 32GB – 64GB RAM
 - 400GB – 1TB SSD
 - 4+ CPUs
 - Ethernet port for transit interface (1Gbps is enough)
 - Ethernet port for IX peering (10Gbps is the standard now)



UNIVERSITY OF OREGON



Collector Software

- Ubuntu 24.04 is RouteViews standard OS
 - We require a minimal Ubuntu Server install
 - Our deployment scripts do the rest
- Routing daemon we install is FRR
 - MRT¹ used for BGP RIBs (archived every 2 hours) and BGP updates (archived every 15 minutes)

¹ Multi-Threaded Routing Toolkit: <https://datatracker.ietf.org/doc/html/rfc6396>



UNIVERSITY OF OREGON



Collector Host

- Acknowledged on RouteViews website as a sponsor
- Contact details kept up to date with RouteViews team
 - An up-to-date PeeringDB entry helps 😊



UNIVERSITY OF OREGON



How you can help

SUPPORTING ROUTEVIEWS



UNIVERSITY OF OREGON



Supporting RouteViews

- The project was started in 1995 because network operators wished to see what their BGP announcements looked like from an external viewpoint
 - Thousands of network operators & researchers all around the world now rely on RouteViews
 - Many everyday tools we all rely on use RouteViews data
 - Many commercial products and services rely on RouteViews data



UNIVERSITY OF OREGON



Supporting RouteViews

Please consider supporting RouteViews:

- By peering with one of our collectors
- By publicly acknowledging the value of the information we have collected
 - For citations, our DOI is *10.7264/1y7v-2d90*
- If your product or service is commercially successful, we look forward to receiving your support to keep your product or service that way!
- In any other way that helps keep this community service going



UNIVERSITY OF OREGON



Thank you!

